

2005 (2)

1. Rojas RE, Chervenak KA, Thomas J, et al. Vdelta2+ gammadelta T cell function in Mycobacterium tuberculosis- and HIV-1-positive patients in the United States and Uganda: application of a whole-blood assay. *J Infect Dis* 2005;192(10):1806-14.
2. Stein CM, Nshuti L, Chiunda AB, et al. Evidence for a major gene influence on tumor necrosis factor-alpha expression in tuberculosis: path and segregation analysis. *Hum Hered* 2005;60(2):109-18.

2006 (1)

1. Whalen CC, Chiunda A, Zalwango S, et al. Immune correlates of acute Mycobacterium tuberculosis infection in household contacts in Kampala, Uganda. *Am J Trop Med Hyg* 2006;75(1):55-61.

2007 (1)

1. Stein CM, Zalwango S, Chiunda AB, et al. Linkage and association analysis of candidate genes for TB and TNFalpha cytokine expression: evidence for association with IFNLR1, IL-10, and TNF receptor 1 genes. *Hum Genet* 2007;121(6):663-73.

2008 (2)

1. Lewinsohn DA, Zalwango S, Stein CM, et al. Whole blood interferon-gamma responses to mycobacterium tuberculosis antigens in young household contacts of persons with tuberculosis in Uganda. *PLoS One* 2008;3(10):e3407.
2. Stein CM, Zalwango S, Malone LL, et al. Genome scan of M. tuberculosis infection and disease in Ugandans. *PLoS One* 2008;3(12):e4094.

2010 (2)

1. Dickman KR, Nabyonga L, Kateete DP, et al. Detection of multiple strains of Mycobacterium tuberculosis using MIRU-VNTR in patients with pulmonary tuberculosis in Kampala, Uganda. *BMC Infect Dis* 2010;10:349.
2. Mupere E, Zalwango S, Chiunda A, Okwera A, Mugerwa R, Whalen C. Body composition among HIV-seropositive and HIV-seronegative adult patients with pulmonary tuberculosis in Uganda. *Ann Epidemiol* 2010;20(3):210-6.

2011 (3)

1. Baker AR, Zalwango S, Malone LL, et al. Genetic susceptibility to tuberculosis associated with cathepsin Z haplotype in a Ugandan household contact study. *Hum Immunol* 2011;72(5):426-30.
2. Nabyonga L, Kateete DP, Katabazi FA, et al. Determination of circulating Mycobacterium tuberculosis strains and transmission patterns among pulmonary TB patients in Kawempe municipality, Uganda, using MIRU-VNTR. *BMC Res Notes* 2011;4:280.
3. Whalen CC, Zalwango S, Chiunda A, et al. Secondary attack rate of tuberculosis in urban households in Kampala, Uganda. *PLoS One* 2011;6(2):e16137.

2012 (3)

1. Lancioni C, Nyendak M, Kiguli S, et al. CD8+ T cells provide an immunologic signature of tuberculosis in young children. *Am J Respir Crit Care Med* 2012;185(2):206-12.
2. Mahan CS, Zalwango S, Thiel BA, et al. Innate and adaptive immune responses during acute M. tuberculosis infection in adult household contacts in Kampala, Uganda. *Am J Trop Med Hyg* 2012;86(4):690-7.
3. Mupere E, Malone L, Zalwango S, et al. Lean tissue mass wasting is associated with increased risk of mortality among women with pulmonary tuberculosis in urban Uganda. *Ann Epidemiol* 2012;22(7):466-73.

2013 (5)

1. Jaganath D, Zalwango S, Okware B, et al. Contact investigation for active tuberculosis among child contacts in Uganda. *Clin Infect Dis* 2013;57(12):1685-92.
2. Luzze H, Johnson DF, Dickman K, et al. Relapse more common than reinfection in recurrent tuberculosis 1-2 years post treatment in urban Uganda. *Int J Tuberc Lung Dis* 2013;17(3):361-7.
3. Stein CM, Hall NB, Malone LL, Mupere E. The household contact study design for genetic epidemiological studies of infectious diseases. *Front Genet* 2013;4:61.
4. Sutherland JS, Lalor MK, Black GF, et al. Analysis of Host Responses to Mycobacterium tuberculosis Antigens in a Multi-Site Study of Subjects with Different TB and HIV Infection States in Sub-Saharan Africa. *PLoS One* 2013;8(9):e74080.
5. Tao L, Zalwango S, Chervenak K, et al. Genetic and shared environmental influences on interferon-gamma production in response to Mycobacterium tuberculosis antigens in a Ugandan population. *Am J Trop Med Hyg* 2013;89(1):169-73.

2014 (3)

1. Johnson DF, Malone LL, Zalwango S, et al. Tuberculin Skin Test Reversion following Isoniazid Preventive Therapy Reflects Diversity of Immune Response to Primary Mycobacterium tuberculosis Infection. *PLoS One* 2014;9(5):e96613.
2. Ma N, Zalwango S, Malone LL, et al. Clinical and epidemiological characteristics of individuals resistant to M. tuberculosis infection in a longitudinal TB household contact study in Kampala, Uganda. *BMC Infect Dis* 2014;14:352.
3. Mupere E, Malone L, Zalwango S, et al. Wasting among Uganda men with pulmonary tuberculosis is associated with linear regain in lean tissue mass during and after treatment in contrast to women with wasting who regain fat tissue mass: prospective cohort study. *BMC Infect Dis* 2014;14:24.

2015 (2)

1. Chheng P, Nsereko M, Malone LL, et al. Tuberculosis case finding in first-degree relative contacts not living with index tuberculosis cases in Kampala, Uganda. *Clin Epidemiol* 2015;7:411-9.
2. Hall NB, Igo RP, Jr., Malone LL, et al. Polymorphisms in TICAM2 and IL1B are associated with TB. *Genes Immun* 2015;16(2):127-33.

2016 (3)

1. Buteme HK, Axelsson-Robertson R, Benson L, et al. Human leukocyte antigen class 1 genotype distribution and analysis in persons with active tuberculosis and household contacts from Central Uganda. *BMC Infect Dis* 2016;16(1):504.
2. Martinez L, Sekandi JN, Castellanos ME, Zalwango S, Whalen CC. Infectiousness of HIV-Seropositive Patients with Tuberculosis in a High-Burden African Setting. *Am J Respir Crit Care Med* 2016;194(9):1152-1163.

3. Sobota RS, Stein CM, Kodaman N, et al. A Locus at 5q33.3 Confers Resistance to Tuberculosis in Highly Susceptible Individuals. *Am J Hum Genet* 2016;98(3):514-24.

2017 (4)

1. Bark CM, Manceur AM, Malone LL, et al. Identification of Host Proteins Predictive of Early Stage Mycobacterium tuberculosis Infection. *EBioMedicine* 2017;21:150-157.
2. Martinez L, Handel A, Shen Y, et al. A Prospective Validation of a Clinical Algorithm to Detect Tuberculosis in Child Contacts. *Am J Respir Crit Care Med* 2017.
3. Seshadri C, Sedaghat N, Campo M, et al. Transcriptional networks are associated with resistance to Mycobacterium tuberculosis infection. *PLoS One* 2017;12(4):e0175844.
4. Sobota RS, Stein CM, Kodaman N, et al. A chromosome 5q31.1 locus associates with tuberculin skin test reactivity in HIV-positive individuals from tuberculosis hyper-endemic regions in east Africa. *PLoS Genet* 2017;13(6):e1006710.

2018 (6)

1. Fluegge K, Malone LL, Nsereko M, et al. Impact of geographic distance on appraisal delay for active TB treatment seeking in Uganda: a network analysis of the Kawempe Community Health Cohort Study. *BMC Public Health* 2018;18(1):798.
2. Igo RP, Jr., Hall NB, Malone LL, et al. Fine-mapping analysis of a chromosome 2 region linked to resistance to Mycobacterium tuberculosis infection in Uganda reveals potential regulatory variants. *Genes Immun* 2018.
3. Martinez L, Handel A, Shen Y, et al. A Prospective Validation of a Clinical Algorithm to Detect Tuberculosis in Child Contacts. *Am J Respir Crit Care Med* 2018;197(9):1214-1216.
4. Martinez L, Shen Y, Handel A, et al. Effectiveness of WHO's pragmatic screening algorithm for child contacts of tuberculosis cases in resource-constrained settings: a prospective cohort study in Uganda. *Lancet Respir Med* 2018;6(4):276-286.
5. Simmons JD, Stein CM, Seshadri C, et al. Immunological mechanisms of human resistance to persistent Mycobacterium tuberculosis infection. *Nat Rev Immunol* 2018.
6. Stein CM, Zalwango S, Malone LL, et al. Resistance and Susceptibility to Mycobacterium Tuberculosis Infection and Disease in Tuberculosis Households in Kampala, Uganda. *Am J Epidemiol* 2018.

2019 (7)

1. Handel A, Martinez L, Sekandi JN, et al. Evidence for supercoughers in an analysis of six tuberculosis cohorts from China, Peru, The Gambia and Uganda. *Int J Tuberc Lung Dis* 2019;23(12):1286-1292.
2. Igo RP, Jr., Hall NB, Malone LL, et al. Fine-mapping analysis of a chromosome 2 region linked to resistance to Mycobacterium tuberculosis infection in Uganda reveals potential regulatory variants. *Genes Immun* 2019;20(6):473-483.
3. Lu LL, Smith MT, Yu KKQ, et al. Publisher Correction: IFN-gamma-independent immune markers of Mycobacterium tuberculosis exposure. *Nat Med* 2019;25(7):1175.
4. Lu LL, Smith MT, Yu KKQ, et al. IFN-gamma-independent immune markers of Mycobacterium tuberculosis exposure. *Nat Med* 2019;25(6):977-987.
5. Muzanyi G, Mulumba Y, Mubiri P, Mayanja H, Johnson JL, Mupere E. Predictors of recurrent TB in sputum smear and culture positive adults: a prospective cohort study. *Afr Health Sci* 2019;19(2):2091-2099.
6. Stein CM, Nsereko M, Malone LL, et al. Long-term Stability of Resistance to Latent Mycobacterium tuberculosis Infection in Highly Exposed Tuberculosis Household Contacts in Kampala, Uganda. *Clin Infect Dis* 2019;68(10):1705-1712.
7. Wampande EM, Naniima P, Mupere E, et al. Genetic variability and consequence of Mycobacterium tuberculosis lineage 3 in Kampala-Uganda. *PLoS One* 2019;14(9):e0221644.